


CONTENT

1. Address
2. Authorities of the Company
3. Organizational and financial data
4. Personnel
5. FAMET GROUP
6. Engineering and Design
7. Manufacturing potential
 - 7.1 Shop floor area
 - 7.2 Manufacturing equipment
8. Used materials
9. Production profile
 - 9.1 Apparatus and industrial equipment
 - 9.2 Components for wind power plants
 - 9.3 Components for building and handling machines
 - 9.4 Bimetallic finned tubes extruded type
10. Testing
11. Quality certificates and references



1. ADDRESS

Name of the Company	FAMET S.A.	
Address	15a Szkolna Str. 47-225 Kędzierzyn-Koźle POLAND	
Telephone	+48 77 40 52 000 +48 77 40 52 100, 40 52 105	Operator Management Board Office
E-mail	office@famet.com.pl	
Internet	www.famet.com.pl	

2. AUTHORITIES OF THE COMPANY

Management Board	Janusz Przybyła	President of the Management Board
	Mirosław Syrek	Vice President of the Management Board Financial Director
	Krzysztof Charczenko	Vice President of the Management Board Technical Director


3. ORGANIZATIONAL AND FINANCIAL DATA

Year of Company`s establishment	1950
Legal status of the Company	Joint Stock Company since 1990 (private)
Equity capital (2023)	245 824 518,21 PLN
- share capital	3 125 000 PLN
Commercial register	Opole KRS 0000030362
Bank	ING Bank Śląski S.A. Bank PEKAO S.A. mBank S.A.


For many years, the Company`s primary activity has been focusing on deliveries of process equipment and machinery, as well as manufacture and deliveries of components for wind turbines and generators and components for building and handling machines. Other companies constituting FAMET GROUP additionally increase both the market activity area and entire Group potential.

(Information indicated below concerns FAMET S.A .only)


YEARLY TURNOVER IN 2014-2023




SALES STRUCTURE IN 2014-2023



SALES STRUCTURE IN 2023 ACCORDING TO MAIN PRODUCT GROUPS



SALES STRUCTURE IN 2023 ACCORDING TO SALES MARKETS







4. PERSONNEL

COMPANY`S SENIORS RESPONSIBLE FOR:

Sales	Janusz Przybyła Krzysztof Wilsz
Engineering and design	Dariusz Fabiańczyk
Production and technique	Krzysztof Charczenko
Finance	Mirosław Syrek
Technology	Piotr Bischof
Quality Assurance	Daniel Stiler
Quality Control	Mateusz Przybyła
Maintenance	Adam Frątczak-Mazur
Purchase	Marek Wojkowski
Informatics	Stanisław Andrzejewski
OS&H and environmental protection	Liliana Kraska

FAMET GROUP EMPLOYMENT

	HEADQUARTER MANUFACTURING PLANT NO 1 IN KĘDZIERZYN-KOZŁE	MANUFACTURING PLANT NO 2 IN JĘDRZEJÓW	MANUFACTURING PLANT NO 3 IN KĘPNO	MANUFACTURING PLANT NO 4 IN OPOLE	MANUFACTURING PLANT NO 5 IN ANNOPOL	ENGINEERING OFFICE IN WYSA	Number of personnel
	181	29	50	94	25	12	391
	165						165
		120					120
			142				142
				258			258
					69		69
TOTAL	346	149	192	352	94	12	1145

5. FAMET GROUP



Managing Board

Strategic planning
Finance & accountancy
Investment & development
Engineering & design
Technique
Quality assurance
Purchase
OS&H and enviromental protection
Human resources
Management organization
R&D department

MANUFACTURING PLANT NO 1 IN KĘDZIERZYN-KOŹLE	MANUFACTURING PLANT NO 2 IN JĘDRZEJÓW	MANUFACTURING PLANT NO 3 IN KĘPNO	MANUFACTURING PLANT NO 4 IN OPOLE	MANUFACTURING PLANT NO 5 IN ANNOPOL
Manufacturing of bimetalic finned tubes, components for construction and handling machines as well as elements for electric machines and generators.	Manufacturing of components for construction machines, electric machines and generators, as well as wind turbines elements, telescoping casings for tooling machines, louvers and bearing blocks. Machining services.	Manufacturing of industrial equipment - air coolers and condensers, shell & tube heat exchangers, steam condensers, regenerative preheaters as well as pressure vessels, reactors, column type and vessel type apparatus. Production of components for construction and handling machines, for wind turbines and for cranes.	Manufacturing of industrial equipment - heavy welded steel structures (generators and turbine casings included), shell & tube heat exchangers, steam condensers, regenerative preheaters, column type apparatus and reactors, pressure vessels and gas filters. Moreover - production of wind turbine elements and components for cranes and handling machines.	Manufacturing of components for construction and electric machines, as well as for generators and wind turbines.

FAMET PLUS

KĘDZIERZYN-KOŹLE

Production services rendered to Manufacturing Plant no.1 in the range of welding, fitter works, machining and indirect manufacturing services.

CHEMOMET

KĘPNO

Production services rendered to Manufacturing Plant no.3 in the range of welding, fitter works, machining and indirect manufacturing services.

ENERGOMET

OPOLE

Production services rendered to Manufacturing Plant no.4 in the range of welding, fitter works, machining and indirect manufacturing services.

FAMET SERWIS

ANNOPOL

Production services rendered to Manufacturing Plant no.5 in the range of welding, fitter works, machining and indirect manufacturing services.

6. ENGINEERING AND DESIGN

FAMET's own engineering departments prepare complete technical documentation and offer following services: process calculation (thermal and flow), strength calculation, complete approved and workshop technical documentation, technical consulting and advisory, assembly supervising, full service and spare parts deliveries. Technical documentation may be also prepared according to Customer's technical assumptions.

FAMET S.A. has got the authorization of:

PED 2014/68/EU

ASME - USA

TÜV - Germany

UDT - Poland

Lloyd's Register - Great Britain

SLV - Germany

FAMET Inc. has got Certificates of Integrated Management System:

PN-EN ISO 9001:2015-10

PN-ISO 45001:2024-02

PN-EN ISO 14001:2015-09

Engineering departments prepare technical documentation according to following codes and standards:

EN 13445-3

AD 2000 Code

ASME Sec VIII Div. 1

TEMA R,C

API 661

API 660

WUDT 2003

Technical documentation for pressure equipment delivered onto EU market corresponds with **PED 2014/68/EU**.

7. MANUFACTURING POTENTIAL

7.1 SHOP FLOOR AREA

	MP no.1 Kędzierzyn-Koźle	MP no.2 Jędrzejów	MP no.3 Kępno	MP no.4 Opole	MP no.5 Annopol
Covered, m ²	19 921	12 305	19 481	75 126	10 654
Uncovered, m ²	17 267	4 100	12 480	55 972	2 500
Total, m ²	37 188	16 405	31 961	131 098	13 154

7.2 MANUFACTURING EQUIPMENT (Max)

	MP no.1 Kędzierzyn-Koźle	MP no.2 Jędrzejów	MP no.3 Kępno	MP no.4 Opole	MP no.5 Annapol
Cutting equipment:					
Flame cutting centre CNC (l,w,t)[mm]	12 000 x 5 000 x 300	12 000 x 5 000 x 300	20 000 x 5 000 x 300	24 000 x 4 050 x 300	12 000 x 5 000 x 300
Laser cutting centre CNC (l,w,t)[mm]	4 000 x 2 000 x 25 ^(cs) x20 ^(ss)	6 500 x 2 500 x 25 ^(cs) x20 ^(ss)	8 000 x 2 700 x 25 ^(cs) x20 ^(ss)	-	-
Plasma Cutting machine CNC (l,w,t)[mm]	-	50	50 ^(ss)	40 ^(ss)	-
Bending equipment:					
Plate forming roller CNC (t,w)[mm]	50 x 2 550	30 x 1 500	35 x 3 000	100 x 3 100, 60 x 3 600	-
Press brake CNC (Q)[t];(l)[mm]	400; 4 000	320; 5 500	600; 8 000	800; 6 000	-
Hydraulic press (Q)[t]	250	280	400	500	250
Welding equipment:					
Hand and automatic welding	SAW SMAW GTAW GMAW FCAW	GTAW GMAW	SAW SMAW GTAW GMAW FCAW	SAW SMAW GTAW GMAW FCAW	GTAW GMAW
Welding robot	-	GMAW (MIG/MAG)	GMAW (MIG/MAG)	-	GMAW (MIG/MAG)
Main machining equipment:					
Machining centre H (x, y, z+w)	6 000 x 3 500 x 1 000+700	2 500 x 1 800 x 1250+800	14 000 x 5 000 x 1 500+700	26 000 x 7 000 x 1 600+1 400	2 500 x 1 800 x 1 250+800
Machining centre V (x, y, z+w)	4 200 x 2 300 x 1 020	4 200 x 2 300 x 1020		29 000 x 9 000 x 6 000+3 500	
Lathes carousel CNC (Ø,h)	2 900 x 2 540		4 100 x 1 710	14 000 x 6 450	2 900 x 1 940
Heat treatment equipment:					
Annealing Furnace (w,h,l)[mm], (t)[°C]	4 000 x 2 500 x 5 000; 800	-		5 000 x 5 000 x 17 000; 1 000	4 500 x 1 600 x 1 600; 800
Induction [kW/Hz],resistance [kW]	3 x 40	-	120 / 2 000	-	-
Surface treatment equipment:					
Shot blasting facility	+	+	+	+	+
Painting shop with complete wquipment	+	+	+	+	+
Metallization ZN,ZN/Al,Al	-	-	-	+	-
Transport possibilities:					
Road transport	+	+	+	+	+
Railway transport (factory siding)	+	-	+	+	-
Inland transport	-	-	-	+	-
Crane: max lifting capacity [t]	20	8	32	2 x 250 / 500	5

8. USED MATERIALS

Apparatus and equipment:

Carbon steel
Boiler steel
Stainless steel
DUPLEX type stainless steel
Creep-resisting steel
Fine-grained steel
Plating

Tubes for heat exchanger:

Copper
Brass
Carbon steel
Boiler steel
Stainless steel
DUPLEX type stainless steel
Titanium, HASTELLOY

9. PRODUCTION PROFILE

FAMET S.A. has got over 70-years of experience in design, manufacture and delivery of process apparatus and their elements.

Recent years resulted in FAMET`s considerable success in sales development onto difficult and stringent foreign markets. Customers` approval of product top-quality and reliability as well as safety and competitiveness of deliveries make the level of export sales value approx. 80% of total revenues lately.

9.1 APPARATUS AND INDUSTRIAL EQUIPMENT

Air coolers

For over 45 years FAMET S.A. has been offering complete air coolers (air cooled heat exchangers) in horizontal or roof type application, particularly for refineries, petrochemical, chemical, power and gas industry.

Air coolers include:

- tube bundles including finned tubes of extruded type
- fans, louvers, plenums, steel structures

Trial assembly of air coolers and other appliances is realized on the shop. Our specialists perform the supervision over the assembly and starting up of apparatus at the site according to Customer`s request.

Gas filters

FAMET S.A. manufactures and delivers natural gas filters, which are applied in turbocompressor natural gas stations located on transmission gas lines. Gas filters are to remove mechanical impurities (solid particles) and liquid ones (condensate) upstream of turbocompressor suction.

Main characteristics of gas filter:

- very large contamination holding capacity
- low flow resistances
- low noise level of filter
- service access to candle filter cartridges through bayonet closure with hydraulic opening system during maintenance
- intake and outtake nozzles are blanked by hydraulic drive
- special outflow chamber decreasing flow resistance and noise level
- glass wool (120 mm) insulation
- possibility of housing the complete set of measurement equipment and valves
- electric heating of condensation area by heating tape
- automatic draining away of condensate to a sump area
- gas filters station consists of five self-contained, upright filters
- service access to filters station from two-floor platform with staircase is provided

Shell and tube heat exchangers for refineries and petrochemistry (according to TEMA standards)

FAMET S.A. supplies shell & tube heat exchangers for refineries, petrochemical and chemical industry. Offered equipment is consistent with design and technological requirements indicated in TEMA standards. These standards are generally used in refineries and petrochemical industry. Heat exchangers offered by FAMET S.A. contain the full range of constructional varieties, both in single-pass and multi-pass system:

- MONOLITH Baffle®
- HELIKON Baffle®
- with straight tubes and fixed tubesheets
- with straight tubes and floating head
- with U-tubes
- with compensating devices

Shell and tube heat exchangers for power industry

For power engineering, power industry and heat engineering FAMET S.A. offers high-pressure (*HP* type) and low-pressure (*LP* type) regenerative preheaters, steam condensers, coolers of water and oil.

Vessel process apparatus

FAMET S.A. also offers vessel type process equipment which is designed and manufactured with ASME U-stamp, TÜV, UDT and PED 2014/68/EU (with CE mark) approvals. Deliveries of apparatus may be also prepared according to Customer`s technical documentation.

FAMET S.A. offers an extended program for piping components such as: wrough tees, welded tees , manifolds and headers. Moreover, the Company offers louvers which are using for air flow control in air coolers, ventilation or air conditioning systems.

9.2 COMPONENTS FOR WIND POWER PLANTS

For several years the Company has been offering components for renewable energy plants. Manufacturing program includes such elements for wind power units as:

- nacelles
- generators housings
- components of electrical generators
- brake discs (azimuth)
- other steel elements

9.3 COMPONENTS FOR BUILDING AND HANDLING MACHINES

For almost 40 years, FAMET S.A. has been specializing in manufacturing and delivery of subassemblies, components and parts for building and handling machines for a large scale. These elements are produced for leading European machinery producers located in Germany, France, UK, Sweden, Switzerland and Italy.

Following types of components are offered:

- smooth-surface drums and drums with pads
- housings, frames and elements of them
- frames, yokes, vibratory shafts, scoops and buckets, hydraulic tanks
- heavy booms and chassis for reachstacker machines
- other welded and machined parts

9.4 BIMETALLIC FINNED TUBES EXTRUDED TYPE

FAMET type finned tubes are manufactured according to the modern and original own technology. In this process a smooth, thick-walled aluminium tube is slid over the core tube of any required material and then is subjected to rotary cold rolling so that finns are formed.

Our high-finned tubes with highly developed fin surface find their most important application for heat transmission from gaseous media, in particular for heat exchangers designed for liquid and gas cooling by means of atmospheric air, or for heating and cooling using other media.

Bimetallic *FAMET* type finned tubes are used:

- in refinery, petrochemical and chemical industry for: air-cooled condensers, air-cooled coolers for products, gas coolers, gas heaters
- in the machine-building industry and in equipment construction for: oil coolers, interstage coolers of turbocompressors and compressors
- in conventional and nuclear power stations for: gas coolers, interstage coolers, cooling-drying towers, steam air-preheaters
- in air conditioning systems for: condensers and other conditioning plants.

10. TESTING

The scope of carried out tests and examinations:

Strength examinations	- tensile test	- bend test
	- impact test	- hardness test
Non-destructive examinations	- radiographic test	- ultra-sonic test & measurement
	- magnetic test	
	- dye penetration test	
	- videoendoscopic test (instr. stalk $\varnothing = 6$ mm, l = 5 m.)	
Geometry examinations	- 3D measurement machine	
	- lasertracker	
Special examinations	- leak-proof helium test	
Chemical analysis of metals	- spectrotest	

FAMET's staff for all non-destructive examinations is qualified for SNT-TC-1A level 2 according to ASME and PED.

11. QUALITY CERTIFICATES AND REFERENCES



Certificate

PCBC has issued an IQNET recognized certificate that the organization:

FAMET S.A.
ul. Szkolna 15a, 47-225 Kędzierzyn-Koźle, Poland
(certified locations listed in the Annex to the certificate)

has implemented and maintains an

Integrated Management System

for the following scope:

design, production, delivery of apparatus and industrial devices as well as components for machinery equipments and wind power stations

which fulfils the requirements of the following standards:

PN-EN ISO 9001:2015-10, PN-EN ISO 45001:2024-02 and PN-EN ISO 14001:2015-09

Issued on: 22.07.2024
Expires on: 30.06.2025

Registration Number: PL - JBS - 183/7/2024

Alex Stoichitolu, President of IQNET
Aleksandra Koszmeva, President of PCBC

Annex 1 to IQNET Certificate Number:
JBS - 183/7/2024

FAMET S.A.
ul. Szkolna 15a, 47-225 Kędzierzyn-Koźle, Poland

List of additional locations:

- FAMET S.A. Production Facility nr 1 ul. Szkolna 15a, 47-225 Kędzierzyn-Koźle, Poland
- FAMET S.A. Production Facility nr 2 ul. Przemysłowa 11, 28-300 Jędrzejów, Poland
- FAMET S.A. Production Facility nr 3 ul. Przemysłowa 12, 63-600 Kępno, Poland
- FAMET S.A. Production Facility nr 4 ul. Oświęcimska 102C, 45-641 Opole, Poland
- FAMET S.A. Production Facility nr 5 ul. Puławska 69, 23-235 Annopol, Poland

for the following scope:

production, delivery of apparatus and industrial devices as well as components for machinery equipments and wind power stations

Alex Stoichitolu, President of IQNET
Aleksandra Koszmeva, President of PCBC

CERTIFICATE

No. JBS - 183/7/2024

This Certificate cancels and replaces Certificate No. JBS - 183/6/2023.

This is to certify that:

FAMET S.A.
ul. Szkolna 15a, 47-225 Kędzierzyn-Koźle
(certified locations listed in Annex to the certificate)

is in conformance with

PN-EN ISO 9001:2015-10, PN-EN ISO 45001:2024-02 and PN-EN ISO 14001:2015-09

in the following scope of activities:

design, production, delivery of apparatus and industrial devices as well as components for machinery equipments and wind power stations

The audit carried out by the Polish Centre of Testing and Certification has afforded evidence of the above.

This Certificate shall remain valid provided that above standards are respected by the Organization.

This certificate is valid: from 22.07.2024 to 30.06.2025

Alexandra Koszmeva, President of PCBC

ANNEX TO THE CERTIFICATE

VALID ONLY IN CONNECTION WITH THE CERTIFICATE

No. JBS - 183/7/2024

This is to certify that the following Locations:

- FAMET S.A. Production Facility nr 1 ul. Szkolna 15a, 47-225 Kędzierzyn-Koźle
- FAMET S.A. Production Facility nr 2 ul. Przemysłowa 11, 28-300 Jędrzejów
- FAMET S.A. Production Facility nr 3 ul. Przemysłowa 12, 63-600 Kępno
- FAMET S.A. Production Facility nr 4 ul. Oświęcimska 102C, 45-641 Opole
- FAMET S.A. Production Facility nr 5 ul. Puławska 69, 23-235 Annopol


in the following scope of activities:

design, production, delivery of apparatus and industrial devices as well as components for machinery equipments and wind power stations

meet the requirements of the standards listed on the certificate.

Alexandra Koszmeva, President of PCBC

The American Society of Mechanical Engineers




CERTIFICATE OF AUTHORIZATION


The named company is authorized by The American Society of Mechanical Engineers (ASME) for the scope of activity shown below in accordance with the applicable rules of the ASME Boiler and Pressure Vessel Code. The use of the ASME Single Certification Mark and the authority granted by this Certificate of Authorization are subject to the provisions of the agreement set forth in the application. Any construction stamped with the ASME Single Certification Mark shall have been built strictly in accordance with the provisions of the ASME Boiler and Pressure Vessel Code.


COMPANY:
FAMET S.A. WORKSHOP No. 1
 ul. Szkolna 15 a
 Kedzierzyn-Kozle 47-225
 Poland

SCOPE:
Manufacture of pressure vessels at the above location and field sites controlled by the above location (This authorization does not cover impregnated graphite)


AUTHORIZED: **November 08, 2022**
 EXPIRES: **November 08, 2025**
 CERTIFICATE NUMBER: **40002**


 Board Chair, Conformity Assessment


 Managing Director, Standards & Engineering Services



The American Society of Mechanical Engineers




CERTIFICATE OF AUTHORIZATION


The named company is authorized by The American Society of Mechanical Engineers (ASME) for the scope of activity shown below in accordance with the applicable rules of the ASME Boiler and Pressure Vessel Code. The use of the ASME Single Certification Mark and the authority granted by this Certificate of Authorization are subject to the provisions of the agreement set forth in the application. Any construction stamped with the ASME Single Certification Mark shall have been built strictly in accordance with the provisions of the ASME Boiler and Pressure Vessel Code.


COMPANY:
FAMET S.A. WORKSHOP No. 1
 ul. Szkolna 15 a
 Kedzierzyn-Kozle 47-225
 Poland

SCOPE:
Manufacture and assembly of power boilers at the above location and field sites controlled by the above location

AUTHORIZED: **November 08, 2022**
 EXPIRES: **November 08, 2025**
 CERTIFICATE NUMBER: **40001**


 Board Chair, Conformity Assessment


 Managing Director, Standards & Engineering Services





CERTIFICATE

Conformity of the Factory Production Control

0045-CPR-1090-1.00028.TÜVNORD.2015.005

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the following construction product:

Construction product	Structural components and kits for steel structures to EXC3 according to EN 1090-2
Intended use	for load-bearing structures in all types of buildings;
CE - marking method	ZA.3.2 to ZA.3.5 acc. to EN 1090-1:2009+A1:2011
Manufacturer	produced by or for FAMET S.A. Szkolna 15a 47-225 Kedzierzyn-Kozle POLAND
Manufacturing plants	see reverse
Confirmation	This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the harmonised standard EN 1090-1:2009+A1:2011 under system 2+ are applied, and that the factory production control fulfills all the prescribed requirements stated therein.
Date of first issue	12.05.2015
Validity end	11.05.2025
Period of validity	This certificate will remain valid as long as the test methods and/or the factory production control requirements included in the harmonised standard used to assess the performance of the declared characteristics do not change, and the product and the manufacturing conditions in the plants are not modified significantly.
Remarks	see reverse
Place and date of issue	Hamburg, 11.08.2022 Grzybacz 8120002115 2147




Digitally signed
 by Schneider
 Viktor
 M.Sc. Schneider
 certification body

To verify the validity of the digital signature of the TÜV NORD Systems emblem, the installation of the TÜV NORD GROUP root certificate is required.



TÜV NORD Systems GmbH & Co. KG, Große Bahnstraße 31, 22525 Hamburg, GERMANY

Certificate number: 0045-CPR-1090-1.00028.TÜVNORD.2015.005

Manufacturing plants

1. **FAMET S.A.**
Stanisława Skaly 15, 23-235 Annopol, POLAND
2. **FAMET S.A.**
Przemysłowa 11, 28-300 Jedrzejów, POLAND
3. **FAMET S.A.**
Szkolna 15a, 47-225 Kedzierzyn-Kozle, POLAND
4. **FAMET S.A.**
Przemysłowa 12, 63-600 Kepno, POLAND
5. **FAMET S.A.**
Oswiecimska 102 C, 45-641 Opole, POLAND

Remarks

The Notified Body - 0045 TÜV NORD Systems GmbH & Co. KG has performed the initial inspection of the manufacturing plant(s) and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

ISO 3834-2 TNP-3834-0078-2020 TÜV NORD Polska sp. 03.09.2023

General provisions

The regulations of PZO of TÜV NORD Systems GmbH & Co. KG apply in their valid version.

TÜV NORD Systems GmbH & Co. KG, Große Bahnstraße 31, 22525 Hamburg, GERMANY



CERTIFICATE

Welding of railway vehicles and components according to EN 15085-2

TÜVNORD/15085/CL1/256/16/2

TÜV NORD Systems GmbH & Co. KG hereby certifies that the welding company

FAMET S. A.
Szkolna 15a
PL-47-225 Kędzierzyn-Koźle
Poland

meets the requirements of the TNS-EN15085 certification scheme for the scope specified. The scope of application can be found on the following page.

EN 15085-2 classification level CL1 in the type of activity P

validity: 2022-02-02 until 2025-01-28

date of issue: 2022-03-03
File number: 8120098540
Customer number: 782147
Lead auditor: M.Sc. NOWAK

Digitally signed by Zabrocki Thomas




TÜV NORD Systems GmbH & Co. KG, Große Bahnstraße 31, 22525 Hamburg, GERMANY

Scope of the certificate

TÜVNORD/15085/CL1/256/16/2

Scope:

Welding process according to EN ISO 4063	Material group according to CEN ISO/TR 15608	Dimensions	Remarks
111	1.2	t = 3 - 60 mm D ≥ 500 mm	BW/PW
121	1.2	t = 7 - 60 mm D ≥ 500 mm	BW
135	1.2	t = 3 - 160 mm D ≥ 500 mm	BW/PW
136	8.1/1.2	t = 3 - 24 mm D ≥ 500 mm	FW, a>=5
141	1.2	t = 3 - 25 mm t = 3 - 24 mm D ≥ 25 mm	BW/PW

Area of Application:

- New build of components for railway vehicles

Responsible welding coordinator(s): Andrzej Chudzio, Level A (IWE) born: 1955-04-12


1st deputy(ies) of the responsible welding coordinator(s): Mateusz, Przybyla, Level A (IWE) born: 1992-06-30

Others deputies: Dariusz Ladak, Level A (IWE) born: 1983-06-25

Remarks:

The welding coordinator Andrzej Chudzio is entitled to test welders / operators in accordance with the relevant standards within the scope of this certificate.

General provisions:
The General Terms and Conditions of the TÜV NORD Systems GmbH & Co. KG apply in the currently valid version. To verify the validity of the digital signature of the TÜV NORD Systems employee, the installation of the TÜV NORD Group master certificate is necessary: <https://www.tuev-nord.de/en/customer-login/digital-signature/>



TÜV NORD Systems GmbH & Co. KG, Große Bahnstraße 31, 22525 Hamburg, GERMANY



CERTIFICATE

TÜV NORD Systems GmbH & Co. KG certifies that the company

FAMET S.A.
ul. Szkolna 15a
47-225 Kędzierzyn-Koźle

has been verified and recognized as service provider of

Heat Treatment of Pressure Vessels and Steel Structures

according to the rules of

AD 2000-Merkblatt HP 7/1
and
EN ISO 17663

Certificate-no.: 07/203/9120/HP/2147/22/W

The range of validity and details of the inspection can be taken from our

Report-no.: 9120/W/2147/22/30/2022

The company has established a product related quality system together with personnel and equipment which assures performance and documentation corresponding to the technical rules.

This certificate is valid until

02.2025




Katowice, 17.02.2022

TÜV NORD Systems GmbH & Co. KG

TÜV NORD Systems GmbH & Co. KG • Technozentrum • Große Bahnstraße 31 • 22525 Hamburg
Telefon +48 32 786 46 51 • Fax +48 32 786 46 05 • e-mail: pl.saczynski@tuev-nord.de

876-608-02001-HP-Zurbaer-PP-076_010-01_420001-HP-31-Dampfung-02/2022



CERTYFIKAT

TÜV NORD Systems GmbH & Co. KG zaświadcza, że przedsiębiorstwo

FAMET S.A.
ul. Szkolna 15a
47-225 Kędzierzyn-Koźle

zostało skontrolowane i uznane jako zakład wykonujący

obróbkę cieplną zbiorników ciśnieniowych i konstrukcji stalowych

wg przepisu

AD 2000-Merkblatt HP 7/1
oraz
EN ISO 17663

Nr certyfikatu: 07/203/9120/HP/2147/22/W

Zakres uznania oraz szczegóły kontroli określono w

sprawozdaniu nr: 9120/W/2147/22/30/2022

Firma posiada system zapewnienia jakości produktu oraz personel i urządzenia gwarantujące odpowiednio prowadzenie i dokumentowanie ww. usług zgodnie z przepisami technicznymi.

Certyfikat jest ważny do

02.2025




Katowice, 17.02.2022

TÜV NORD Systems GmbH & Co. KG

TÜV NORD Systems GmbH & Co. KG • Technozentrum • Große Bahnstraße 31 • 22525 Hamburg
Telefon +48 32 786 46 51 • Fax +48 32 786 46 05 • e-mail: pl.saczynski@tuev-nord.de

876-608-02001-HP-Zurbaer-PP-076_010-01_420001-HP-31-Dampfung-02/2022

**URZĄD DOZORU
TECHNICZNEGO**

Stwierdza się, że
FABRYKA APARATURY I URZĄDZEŃ "FAMET" S.A.
SZKOLNA 15 A, 47-225 KĘDZIERZYN-KOZŁE
posiada uprawnienie do wytwarzania elementów
URZĄDZEŃ CIŚNIENIOWYCH I BEZCIŚNIENIOWYCH

Szczegółowy zakres i warunki uprawnienia określone są w załączniku do decyzji uprawniającej

Uprawnienie nadano w dniu **31.12.2015r.**
Zarejestrowano pod nr **UC-16-23-E/1-15**

Urząd Dozoru Technicznego
Dyrektor
Oddział w Opolu
mgr inż. Jerzy Majewski
Z up. Prezesa UDT



UDT 2-4091

**URZĄD DOZORU
TECHNICZNEGO**

Stwierdza się, że
FABRYKA APARATURY I URZĄDZEŃ "FAMET" S.A.
SZKOLNA 15 A, 47-225 KĘDZIERZYN-KOZŁE
posiada uprawnienie do wykonywania napraw
**ZBIORNIKÓW BEZCIŚNIENIOWYCH I ZBIORNIKÓW NISKOCIŚNIENIOWYCH DO
MATERIAŁÓW TRUJĄCYCH LUB ŻRĄCYCH
ZBIORNIKÓW BEZCIŚNIENIOWYCH I ZBIORNIKÓW NISKOCIŚNIENIOWYCH DO
MATERIAŁÓW CIEKŁYCH ZAPALNYCH
KOTŁÓW PAROWYCH
KOTŁÓW WODNYCH
ZBIORNIKÓW STAŁYCH CIŚNIENIOWYCH**

Szczegółowy zakres i warunki uprawnienia określone są w załączniku do decyzji uprawniającej

Uprawnienie nadano w dniu **31.12.2015r.**
Zarejestrowano pod nr **UC-16-23-N/1-15**

Urząd Dozoru Technicznego
Dyrektor
Oddział w Opolu
mgr inż. Jerzy Majewski
Z up. Prezesa UDT



UDT 2-4091

**URZĄD DOZORU
TECHNICZNEGO**

Stwierdza się, że
FABRYKA APARATURY I URZĄDZEŃ "FAMET" S.A.
SZKOLNA 15 A, 47-225 KĘDZIERZYN-KOZŁE
posiada uprawnienie do dokonywania modernizacji
ZBIORNIKÓW STAŁYCH CIŚNIENIOWYCH

Szczegółowy zakres i warunki uprawnienia określone są w załączniku do decyzji uprawniającej

Uprawnienie nadano w dniu **31.12.2015r.**
Zarejestrowano pod nr **UC-16-23-P/1-15**

Urząd Dozoru Technicznego
Dyrektor
Oddział w Opolu
mgr inż. Jerzy Majewski
Z up. Prezesa UDT



UDT 2-4091

**URZĄD DOZORU
TECHNICZNEGO**

Stwierdza się, że
FABRYKA APARATURY I URZĄDZEŃ "FAMET" S.A.
47-22 KĘDZIERZYN-KOZŁE, ul. SZKOLNA 15 A
posiada uprawnienie do wytwarzania
**ZBIORNIKÓW BEZCIŚNIENIOWYCH I ZBIORNIKÓW NISKOCIŚNIENIOWYCH DO
MATERIAŁÓW TRUJĄCYCH LUB ŻRĄCYCH
ZBIORNIKÓW BEZCIŚNIENIOWYCH I ZBIORNIKÓW NISKOCIŚNIENIOWYCH DO
MATERIAŁÓW CIEKŁYCH ZAPALNYCH**

Szczegółowy zakres i warunki uprawnienia określone są w załączniku do decyzji uprawniającej

Uprawnienie nadano w dniu **31.12.2015r.**
Zarejestrowano pod nr **UC-16-23-W/5-15**

Urząd Dozoru Technicznego
Dyrektor
Oddział w Opolu
mgr inż. Jerzy Majewski
Z up. Prezesa UDT



UDT 2-4091



CNC plate laser cutting centre



CNC plate oxygen cutting centre



CNC plate rolling centre






*CNC plate bending
centre*





Welding robots





Welding equipment





CNC machining centres





CNC milling - drilling machine





CNC Lathes carousel





Drilling of heat exchanger tube sheet





Assembly of shell & tube heat exchanger tube bundle



Putting of tube bundle into heat exchanger shell



Battery of shell & tube heat exchangers in solar power plant



Trial assembly test of shell & tube heat exchangers installed as stacked unit





*Heat exchangers for refineries
and petrochemical plants*





*Manufacturing of high-pressure
heat exchangers*






Heat treatment of high-pressure regenerative preheaters after welding




High-pressure regenerative preheater (HP type) ready for shipment



Assembly of heat exchanger of "helixchanger" type (helically baffled)






Removable cover plate header with stud bolts

Stainless steel tube bundle with plug type header

Water pressure test of tube bundle



*Machining of headers with
removable cover*




*Welding of header by means
of double-head welding
machine*



*Orbital welding of tubes
to header tube sheet
through plug holes*





*Machine for finning of tubes
(length: 15.5 m.)*



*examples of FAMET type
finned tubes*






Finned tubes shop




*examples of FAMET type
finned tubes*






*Tube bundles
assembly shop*

*Finned tubes applied in
cooler tube bundle*



*Fans installed in natural
gas air coolers*



Battery of natural gas air coolers - compressor gas station



Automatically controlled louvers installed in air cooler



Trial assembly test of air cooler



Battery of natural gas air coolers



Collectors in compressor gas station



Air cooler installed in chemical synthesis plant

Air cooler with tube bundles in roof arrangement





Glycol air cooler in thermal-electric power station



Battery of natural gas air coolers





*Water air cooler
in power station*


*Natural gas air coolers
in soundproof housing*






*Assembly of turbine
steam condenser*





Turbine steam condenser installed in power plant



Assembly and transport of steam condenser



Gas filters station in compressor gas station



Assembly of gas filters

Heat pumps



Evaporator of sea water desalination system during trial assembly

Assembly of evaporator




Pressure vessel for petrochemical plant

**Machining of components
for wind power plants**

turbine 6 MW



turbine 7.5 MW





turbine 2 MW



turbine 2.5 MW




*Wind turbine components
- girders*





Nacelle




*Steel components
of wind turbine*






*Generator housings
ready for shipment*



*Examples of electric machine
housings*




Components for building machines





Components for building machines



Boom assy for reachstacker (45t)



Chassis for reachstacker(45t)



*Measurement of steel structure
using lasertracker*



*US testing of completely
welded header*

Transport of evaporators by water



Gas collectors transport to compressor gas station





Loading of apparatus onto the barge

Gantry crane with lifting capacity of 500 tons



Railway transport